



ZJ-58A

Product Introduction :



General washing

Spraying water automatically after releasing yourself. Dispensing with toilet paper, the product has a good physical therapy for patients who suffer from hemorrhoids or anus inflammation.



For lady

Except the nozzle regular cleaning, the special nozzle is added for women cleaning to meet the special requirement during women's menstrual and pregnant period. Sanitary and convenient.



Seat heating

The temperature of toilet seat controlled by microcomputer can be changed freely in use. The toilet seat and nozzle are made of antibacterial material which can restrain germs and prevent from intersect infection.



Warm air drying

The buttock is dried by warm air which temperature can be freely selected in use, make you comfortable in relaxation.



Damping buffer

The damping system is designed by physical buffer theory for quietly open and close the cover and seat.



Infrared induction remote device(58A only)

With hanging remote device, it adopts infrared induction to get the information. The configuration is more beautiful and the operation is more convenient.

■ ZJ-58A



» New style hanging remote device

**For further information about this product
Please contact IDROMAGIC AUSTRALIA
Tel : (03) 9795 1397
FAX : (03) 9795 0697
Address : 17 Murray Rd,
Dandenong North Victoria 3175
E-mail : idromagic@optusnet.com.au
E-mail : idromagic@bigpond.com.au**

■ Features



Warm water washing.

Spraying water automatic after relieving yourself, dispensing with toilet paper, freely adjusting water pressure, the product has a good physical therapy for patients who suffer hemorrhoids or anus inflammation.



Special design for women washing

Expect the nozzle regular cleaning, the special nozzle is added for women cleaning to meet the special requirement during women's menstrual and pregnant period. Sanitary and convenient.



Warm air drying

The buttock is dried by warm air which temperature can be freely selected in use, make you comfortable in relaxation.



Constant temperature toilet seat & antibiotic toilet seat and nozzle

The temperature of toilet seat controlled by microcomputer can be changed freely in use. The toilet seat and nozzle are made by antibiotic material which can restrain germ breed and prevent to intersect infection.



Slowly of the toilet cover

The damping system is designed by physical buffer theory to quietly open and shut the cover and seat.




Infrared induction remote device

New style hanging remote device. It adopt infrared induction to get the information. The configuration is more beautiful and the operation is more convenient.

■ Specification

Model		ZJ-58A	ZJ-58A/20D0E, 0E+	
Voltage/Frequency		AC220V/110V 50/60HZ		
Rated Input Power		850W		
Length of Supply Cord		1.8m		
Safety Device		Leakage Protector (Operating Current=15mA)		
Applicable Water Pressure		0.05-0.75MPa		
Dimension		510×480×150mm		
Weight		5.5kg		
Color		White Basic		
Washing Spray	Washing manner	Buttocks Washing	Three orifice strongly washing	
		Women special Washing	Six orifice softly washing	
	Water Tank Capacity		About 1.0 L	
	Water Flow Capacity		0.6-1.1L/min	
	Heater Power		500W	
Water Temperature Adjustment		Room Temperature to 34°C, 37°C, 40°C		
Safety Device		Leakage Protector, Overheat Protection, Anti-dry Protection		
Warm Air Dry	Max Power of warm air drying		300W	
	Air Temperature adjustable sequence		low, High, normal temperature, Close	
	Safety Device		Double temperature protection: 105°C / 150°C	
Seat Warming	Seat Heater Power		45W	
	Safe temperature adjustment		Room Temperature to 37°C	
	Open-Close Device		Soft Close Seat	
	Safety Device		Temperature protection 50°C	





**ELECTRONIC TECHNOLOGY SYSTEMS
DR. GENZ GMBH**
COMPETENT BODY ACCREDITED TEST HOUSE

CERTIFICATE OF CONFORMITY

EU EMC - DIRECTIVE 89/336/EEC -

This certifies that the following designated product

INTELLIGENTIZED AUTO-RINSING TOILET SEAT
MODEL NO. : ZJ-58A

(Product Identification)

complies with the essential protection requirements of Council Directive 89/336/EEC on the approximation of the laws of the Member States relating to electromagnetic compatibility.

This certificate is awarded following tests carried out on samples of the product referred to above. Assessment of compliance of the product with the requirements relating to electromagnetic compatibility was based on the following standards:

**EN 55014-1 : 2000+A1 : 2001+A2 : 2002, EN 55022, EN 61000-3-2/-3
EN 55014-2 : 1997+A1 : 2001, (EN 61000-4-2/-4/-5/-6/-11)**

(Identification of requirements / standards)



THE CERTIFICATION IS VALID ONLY IN ACCORDANCE WITH THE TEST REPORT NO. E42ND044-L143-S-04
THE CONFORMANCE IS VALID ONLY IF THE PRODUCT IS MANUFACTURED IN ACCORDANCE WITH THE TEST REPORT

OR ETS E-MARK PCF GEM UNITS CE-MARK SAR RADIO CB EMC DIRECT WEAS RG Bluetooth BATTU



E42ND044-L143

This is the result of our control on various samples of the product referred to above which were submitted for testing in accordance with the specifications for the respective standards. The certificate holder has the right to use the ETS-MARK which proves the EMC-compliance with each individual product in the course in which the respective sample testing, provided that the product is manufactured in accordance with the test report.



June 02, 2006

(Date)

Dr. Frank

Dr. Frank

Electronic Technology Systems Dr. Genz GmbH
Sonnenscheinstraße 10, D-71736 Börschweiler & Börsch, Germany Phone +49 (0)7141-98700 Fax +49 (0)7141-98709